

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6522668").PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/01/06 14:47
S2	10	(MCCULLOUGH near JASON).in.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:11
S3	4	(LOCKLEAR near ROBERT).in.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:12
S4	13	(power with reduction) and cisco. asn.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:13
S5	3	((power with reduction) and cisco. asn.) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 13:58
S6	1	dsl and (bandwidth with power with parameter)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 13:58
S7	86	dsl and (bandwidth with power)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 13:59
S8	26	(dsl and (bandwidth with power)) and parameter	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 14:08
S9	71	dsl and bandwidth and power and cap and dmt	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 14:08
S10	10557	bandwidth same (allocate or adjust or change)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 14:09
S11	20	(dsl and bandwidth and power and cap and dmt) and (bandwidth same (allocate or adjust or change) )	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 14:43
S12	14	((("4896335") or ("6424661") or ("5479447") or ("6292559") or ("5987061") or ("6061392") or ("6424696") or ("6215785") or ("6266395") or ("6385203") or ("5909463") or ("6324268") or ("6438186") or ("6487241")).PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 15:37

S13	14	((("4896335") or ("6424661") or ("5479447") or ("6292559") or ("5987061") or ("6061392") or ("6424696") or ("6215785") or ("6266395") or ("6385203") or ("5909463") or ("6324268") or ("6438186") or ("6487241"))).PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 15:37
S14	6	((("4896335") or ("6424661") or ("5479447") or ("6292559") or ("5987061") or ("6061392") or ("6424696") or ("6215785") or ("6266395") or ("6385203") or ("5909463") or ("6324268") or ("6438186") or ("6487241"))).PN.) and (power same bandwidth)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 15:38
S15	4	((("4896335") or ("6424661") or ("5479447") or ("6292559") or ("5987061") or ("6061392") or ("6424696") or ("6215785") or ("6266395") or ("6385203") or ("5909463") or ("6324268") or ("6438186") or ("6487241"))).PN.) and (power with bandwidth)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 15:38
S16	1	("4896335").PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 19:50
S17	1	("5479447").PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 19:51
S18	1859	dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 19:51
S19	1301	parameter with bandwidth	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 19:52
S20	17	dsl and (parameter with bandwidth)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 19:57
S21	272	bandwidth with (power near spectrum)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:18
S22	1	(bandwidth with (power near spectrum)) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:16
S23	8926	bandwidth with power	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:19

S24	86	dsl and (bandwidth with power)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:19
S25	10	(dsl and (bandwidth with power)) and (bandwidth with (allocate or adjust or change))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:22
S26	748	375/240.ccls.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:22
S27	5	375/240.ccls. and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:23
S28	4	(375/240.ccls. and dsl) and bandwidth	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 20:24
S29	4	((375/240.ccls. and dsl) and bandwidth) and power	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 22:12
S30	3644	bit near load\$4	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 22:12
S31	47	(bit near load\$4) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 22:12
S32	44	((bit near load\$4) and dsl) and power	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 22:12
S33	13	((bit near load\$4) and dsl) and (power with (reduce or reduction))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:24
S34	123	(line near driver) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:25
S35	8	((line near driver) and dsl) and (power near spectrum)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:26
S36	8	((((line near driver) and dsl) and (power near spectrum)) and dmt	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:29
S37	61	((line near driver) and dsl) and dmt	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:31
S38	29	((((line near driver) and dsl) and dmt) and amplif\$5 and ((feed near back) or feedback)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:32
S39	4	(((((line near driver) and dsl) and dmt) and amplif\$5 and ((feed near back) or feedback)) and (complex with impedance)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:54

S40	123	(line near driver) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:54
S41	12	((line near driver) and dsl) and (voltage with level) with (line near driver)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:55
S42	12	((line near driver) and dsl) and ((voltage with level) with (line near driver))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:57
S43	0	((line near driver) and dsl) and ((voltage with level) with (line near driver) with bandwidth)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 23:57
S44	0	((line near driver) and dsl) and ((voltage with level) with (line near driver) with (power near spectrum))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:00
S45	748	375/240.ccls.	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:00
S46	0	375/240.ccls. and cap and (baud near rate)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:01
S47	21	dsl and cap and (baud near rate)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:02
S48	21	(dsl and cap and (baud near rate)) and bandwidth	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:02
S49	13	(dsl and (cap same (baud near rate))) and bandwidth	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:02
S50	13	dsl and (cap same (baud near rate))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:03
S51	0	dsl and (cap same (baud near rate) with bandwidth)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:03
S52	0	dsl and (cap same (baud near rate) same bandwidth)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 00:03
S53	2	(US-6614879-\$ or US-6546090-\$). did.	USPAT	OR	OFF	2003/09/30 00:04
S54	0	((US-6614879-\$ or US-6546090-\$).did.) and (baud near rate)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:25
S55	124	(line near driver) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:26

S56	3	((line near driver) and dsl) and (bit near loading)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:36
S57	1	(driver with (frequency near (cutoff or (cut near off)))) and dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:39
S58	1	(driver with (frequency near (cutoff or (cut near off)))) and \$dsl	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:41
S59	381	dsl and driver	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:41
S60	20	(dsl and driver) and (driver with voltage with level)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 10:42
S61	7	("3900823"   "4970656"   "5267262"   "5303268"   "5420536"   "5450620"   "5838722").PN.	USPAT	OR	OFF	2003/09/30 13:20
S62	1	"6370187".URPN.	USPAT	OR	OFF	2003/09/30 13:21
S63	1	("6226322").PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 13:24
S64	1	"6566947".PN. and power	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 13:25
S65	1	((("6226322").PN.) and power	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 13:25
S66	1	((("6226322").PN.) and power) and (line near driver)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 14:24
S67	3	((("6580761") or ("6546090") or ("6005893")).PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 14:25
S68	2	((("6580761") or ("6546090") or ("6005893")).PN.) and (bit near loading)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/30 14:25
S69	2	(line near driver) same (frequency with cutoff) and dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 11:08
S70	3	(line near driver) same (frequency with cutoff) and \$dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 11:15

S71	1	(line near driver) same (frequency with cutoff) and xdsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 11:15
S72	1	(line near driver) same (frequency with cutoff) and xdsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 11:15
S73	2	("6292515").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 13:37
S74	39	(baud near rate) same \$dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 13:50
S75	0	((imaginary or q) with adjust\$6 with impedance) and \$dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 13:51
S76	6	(US-6370187-\$ or US-6226322-\$ or US-6566947-\$ or US-6614879-\$ or US-6546090-\$ or US-6583662-\$).did.	USPAT	OR	OFF	2004/03/15 14:24
S77	5	((US-6370187-\$ or US-6226322-\$ or US-6566947-\$ or US-6614879-\$ or US-6546090-\$ or US-6583662-\$).did.) and cap	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 14:24
S78	102	(cutoff near frequency) and \$3dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 17:02
S79	22	((cutoff near frequency) same bandwidth) and \$3dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 17:02
S80	3761	viterbi near decoder	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/24 14:56
S81	15	recursive same traceback	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/24 14:56
S82	12	(viterbi near decoder) and (recursive same traceback)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 09:56

S83	11287	power with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 09:56
S84	8284	\$3dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 09:56
S85	261	(power with bandwidth) and \$3dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 09:56
S86	44	((power with bandwidth) and \$3dsl) and training	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:20
S87	2	("6522668").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:30
S88	2	("6483870").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:21
S89	26327	power with (adjust\$4 or reduc\$4) with frequency	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:31
S90	98	\$3dsl and (power with (adjust\$4 or reduc\$4) with frequency)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:31
S91	61	(\$3dsl and (power with (adjust\$4 or reduc\$4) with frequency)) and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:31
S92	12	(\$3dsl and (power with (adjust\$4 or reduc\$4) with frequency)) and bandwidth and training	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:31
S93	46	adjust\$3 same (power or energy) same ((band adj width) or bandwidth or band-width) same (modem or transceiver)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 21:22
S94	307	(adjust\$3 same (power or energy) same ((band adj width) or bandwidth or band-width)) and (modem or transceiver)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 21:23



S95	197	((adjust\$3 same (power or energy) same ((band adj width) or bandwidth or band-width)) and (modem or transceiver)) and (training or parameter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 21:23
S96	34	((adjust\$3 same (power or energy) same ((band adj width) or bandwidth or band-width)) and (modem or transceiver)) and ((training or parameter) same ((band adj width) or bandwidth or band-width))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 09:09
S97	1	("6772437").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 13:59
S98	0	"20030206625"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 13:59
S99	0	("20030206625").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 13:59
S10 0	0	"20030206625"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:00
S10 1	1	"20030206625"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:00
S10 7	8891	\$2dsl	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 14:47
S10 8	938	driver and (memory or buffer) and (power with spectrum)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 14:47
S10 9	141225	bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 14:48
S11 0	45	S107 and S108 and S109	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 14:48